

EXAMPLE

EXAMPLE Errata Sheet for Minor Corrections to The City of Palo Alto 2020 Urban Water Management Plan (UWMP)

This errata sheet logs minor content errors that were identified after final adoption of the *City of Palo Alto* 2020 UWMP. DWR has determined that these corrections are minor and do not require the UWMP to be amended.

■ These data errors have been corrected in the Department of Water Resources (DWR) UWMP database at <https://wuedata.water.ca.gov/secure/>

■ This errata sheet has been filed with the UWMP in all locations where it is made publicly available, including the California State Library. Errata may be submitted to State Library via email to cslgps@library.ca.gov

Name and agency of the person filing errata sheet:

City of Palo Alto, Lisa Bilir _____

EXAMPLE

#	Description of Correction	Location	Rationale	Date Error Corrected
1	Table 8-3 was changed from blank to at least one line for each shortage level indicating no action, as appropriate.	Table not included in UWMP.	Because Palo Alto had no supply augmentation actions, Table 8-3 was left blank. However, the table is now submitted and for stages where there is no action, the stage is still included and no action is indicated.	March 17, 2022
2	UWMP sent to the County and a statement included that this has been done.	Statement not included in UWMP.	UWMP was sent to the city or county after adoption.	March 9, 2022

Include screen shots of revised tables if applicable.

EXAMPLE

EXAMPLE

Submittal Table 8-3: Supply Augmentation and Other Actions			
Shortage Level	Supply Augmentation Methods and Other Actions by Water Supplier <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUdata online submittal tool</i>	How much is this going to reduce the shortage gap? <i>Include units used (volume type or percentage)</i>	Additional Explanation or Reference <i>(optional)</i>
<i>Add additional rows as needed</i>			
Stage I (Up to 10%)	Other Actions (describe)	No action (see note)	
Stage II (10%-20%)	Other Actions (describe)	No action (see note)	
Stage III (20%-30%)	Other Actions (describe)	No action (see note)	
Stage IV (30%-40%)	Other Actions (describe)	No action (see note)	
Stage V (40%-50%)	Other Actions (describe)	No action (see note)	
Stage VI (>50%)	Other Actions (describe)	No action (see note)	
NOTES: Palo Alto's plans regarding expanding the public information campaign and implementing or modifying drought rate structures or surcharges is considered "demand reduction actions" presented in Table 8-2 and is not duplicated here.			

On March 9, 2022, the City of Palo Alto sent a copy of the Palo Alto 2020 Urban Water Management Plan and Water Shortage Contingency Plan to the County of Santa Clara.

EXAMPLE